

IMPORTANT MEDICAL INFO



THIS PATIENT HAS HYPOTHYROIDISM (LACK OF THYROID HORMONES) AND IS AT RISK OF COMA!

Potential symptoms include lethargy, low body temperature, low blood pressure, and low respiratory rate.

If the patient is not able to swallow immediate iv injection of 300-500 μg L-thyroxine or 200-300 μg L-thyroxine plus 10-25 μg liothyronine is indicated followed by 50-100 μg L-thyroxine daily.

Fluid substitution with 0.9% saline might be needed

Name

Date of birth



European Society
of **Endocrinology**

Важная информация медицинского характера



**У ЭТОГО ПАЦИЕНТА ГИПОТИРЕОЗ
(недостаток гормонов щитовидной
железы) и существует риск комы.**

Потенциальные симптомы включают вялость,
низкую температуру тела, низкое артериальное
давление и низкую частоту дыхания.

Если пациент не может глотать, экстренно
назначается в/в инъекция 300–500 мкг
L-тироксина или 200–300 мкг L-тироксина в
сочетании с 10–25 мкг лиотиронина, после чего
проводится терапия 50–100 мкг L-тироксина
ежедневно.

Может потребоваться восполнение жидкости
0,9%-ным физиологическим раствором

Ф. И. О.

Дата рождения