

IMPORTANT MEDICAL INFO



**THIS PATIENT HAS ARGININE VASOPRESSIN
DEFICIENCY / DIABETES INSIPIDUS AND NEEDS
DAILY REPLACEMENT WITH DESMOPRESSIN**

If the patient is conscious, she/he should take the usual daily desmopressin treatment and drink freely.

If the patient is not conscious, she/he should be hydrated with isotonic intravenous infusion and treated with desmopressin (i.v. or nasal) with close blood electrolyte monitoring.

Hypernatremia indicates lack of desmopressin, hyponatremia overtreatment.

Name

Date of birth



European Society
of **Endocrinology**

POMEMBNO ZDRAVNIŠKO OBVESTILO



**BOLNIK IMA POMANJKANJE ARGININ
VAZOPRESINA / DIABETES INSIPIDUS IN POTREBUJE
DNEVNO NADOMEŠČANJE DEZMOPRESINA.**

Če je bolnik pri zavesti, naj vzame običajni dnevni
odmerek dezmpresina in pije po želji.

Če bolnik ni pri zavesti, ga moramo hidrirati
intravensko z izotonično infuzijo in zdraviti
z dezmpresinom (intravensko ali nazalno) ter
natančno spremljati elektrolite v krvi.

Hipernatriemija kaže na pomanjkanje dezmpresina,
hiponatriemija pa na prekomerno zdravljenje.

Ime

Datum rojstva

Združenje Endokrinologov Slovenije