

# IMPORTANT MEDICAL INFO



**THIS PATIENT HAS ARGININE VASOPRESSIN  
DEFICIENCY / DIABETES INSIPIDUS AND NEEDS  
DAILY REPLACEMENT WITH DESMOPRESSIN**

If the patient is conscious, she/he should take the usual daily desmopressin treatment and drink freely.

If the patient is not conscious, she/he should be hydrated with isotonic intravenous infusion and treated with desmopressin (i.v. or nasal) with close blood electrolyte monitoring.

Hypernatremia indicates lack of desmopressin, hyponatremia overtreatment.

---

*Name*

---

*Date of birth*



European Society  
of Endocrinology

# VAŽNA MEDICINSKA OBAVIJEST



**OVAJ BOLESNIK IMA NEDOSTATAK  
ARGININ-VAZOPRESINA / CENTRALNI DIJABETES  
INSIPIDUS I POTREBNA MU JE SVAKODNEVNA  
NADOMJESNA TERAPIJA DEZMOPRESINOM**

Ako je bolesnik pri svijesti, trebao bi uzeti uobičajenu dnevnu dozu dezmpresina i slobodno piti tekućinu.

Ako bolesnik nije pri svijesti, treba ga hidrirati izotoničnom intravenskom infuzijom i liječiti dezmpresinom (i.v. ili nazalno) uz pomno praćenje elektrolita u krvi.

Hipernatrijemija ukazuje na nedostatak dezmpresina, a hiponatrijemija na pretjeranu primjenu.

---

*Ime*

---

*Datum rođenja*

**Hrvatsko društvo za dijabetes i bolesti metabolizma  
Hrvatsko društvo za endokrinologiju i dijabetologiju  
Hrvatsko endokrinološko društvo**