

# IMPORTANT MEDICAL INFO



**THIS PATIENT HAS HYPOTHYROIDISM (LACK OF THYROID HORMONES) AND IS AT RISK OF COMA!**

Potential symptoms include lethargy, low body temperature, low blood pressure, and low respiratory rate.

If the patient is not able to swallow immediate iv injection of 300-500  $\mu\text{g}$  L-thyroxine or 200-300  $\mu\text{g}$  L-thyroxine plus 10-25  $\mu\text{g}$  liothyronine is indicated followed by 50-100  $\mu\text{g}$  L-thyroxine daily.

Fluid substitution with 0.9% saline might be needed

---

*Name*

---

*Date of birth*



European Society  
of Endocrinology

# Կարևոր Բժշկական Տեղեկատվություն



**ԱՅՍ ՊԱՑԻԵՆՏՆ ՈՒՆԻ ՀԻՊՈԹԻՐԵՈԶ  
(ՎԱՀԱՆԱԶԵՎ ԳԵՂԶԻ ՀՈՐՄՈՆՆԵՐԻ ՊԱԿԱՍ)  
ԵՎ ՀՆԱՐԱՎՈՐ Է ԿՈՄԱՅԻ ԶԱՐԳԱՑՈՒՄ**

Հավանական ախտանշանները ներառում են  
լեթարգիա, մարմնի ցածր ջերմաստիճան,  
արյան ցածր ճնշում և շնչառության ցածր  
հաճախականություն:

Եթե պացիենտի մոտ խանգարված է կլման ակտը,  
ցուցված է 300-500 մկգ L-թիրոքսինի կամ 200-300 մկգ  
L-թիրոքսինի գումարած 10-25 մկգ լիոթիրոնինի ն/ե  
ներարկում, որին հաջորդում է օրական 50-100 մկգ  
L-թիրոքսին:

Կարող է անհրաժեշտ լինել հեղուկի փոխարինում 0,9%  
ֆիզիոլոգիական լուծույթով:

---

ԱԱՀ

---

Ծննդյան ամսաթիվ